BID RESULTS

AB2021-02 POTABLE/SANITARY WELL CONSTRUCTION, DEVELOPMENT, TESTING SAMPLING AND WELL ADANDONMENT FOR THE MERCER COUNTY PARK COMMISSION

BID OPENING DATE: FEBRUARY 9,2021							
NO. OF BIDDERS:	1						
NAME OF BIDDER	WILLIAM STOTHOFF COMPANY,INC.						
ADDRESS	110 RIVER ROAD						
CITY, STATE, ZIP	FLEMINGTON, NJ 08822						
CONTACT	DAVID C. STOTHOFF						
TELEPHONE	908-782-2717						
FAX	N/A						
E-MAIL	DSTOTHOFF@WELL1885.COM						
nj savi designation	N/A						
ADDENDUM NO.ONE	INCLUDED						
INSURANCE AND INDEMNIFICATION	SIGNED AND DATED						
FEDERAL NON-DEBARMENT FORM	SIGNED AND DATED						
BID GUARANTEE	HUDSON INSURANCE CO. 10% NTE 20K						
CONSENT OF SURETY	AMY M. DAVIDSON AIF WITH POA						
REFERENCES AND EXPERIENCE	INCLUDED, PC TO REVIEW						
IRAN CERTIFICATION	SIGNED AND DATED /MUST CHECK YES OR NO						
PW CONTRACTOR REGISTRATION	603916 EXPIRES 3.11.21						
new Jersey Business registration	ОК						
STATEMENT OF OWNERSHIP	SIGNED AND DATED						
NON-COLLUSION AFFIDAVIT	SIGNED AND DATED						
PREVAILING WAGE CERTIFICATION	INCLUDED						
ELECTRICAL LICENSURE/OR SUB	DEMAIO ELECTRICAL COMPANY; LICENSE #34EI00860400 EXPIRES 3.31.21 PW#605367 EXPIRES 5.5.22						
MASTER WELL DRILLER LICENSE	LICENSE # 476698 EXPIRES 6.30.23						
EQUIPMENT CERT	SIGNED AND DATED						
EXHIBIT B	INCLUDED						
AA201	REQUIRED IF AWARDED						
SAFETY CERT	SIGNED AND DATED						
GRAND TOTAL	\$ 111,850.00						
HOLD PRICING BEYOND 60 DAYS	YES						
EXCEPTIONS	NONE						
FATAL FLAW	NO						

PROPOSAL FORM AB2021-02

POTABLE/SANITARY WELL CONSTRUCTION, DEVELOPMENT, TESTING SAMPLING AND WELL ABANDONMENT FOR THE MERCER COUNTY PARK COMMISSION

ITEM					WILLIAM STOTHOFF COMPANY			
2 Furnish and install minimum 12-inch diameter, black steel, plain end surface casing to an estimated depth of 30" Furnish and install minimum 12 inc, diameter barehole into bedrack growth and install minimum 12 inc, diameter barehole into bedrack growth and install minimum 12 inc, diameter barehole into bedrack growth and install minimum 12 inc, diameter barehole into bedrack growth and install minimum 12 inc, diameter barehole into bedrack growth and install minimum 12 inc, diameter barehole street cosing with mixe shock into bedrack. Casing length must be a minimum of 80 leaf in the street of	ITEM*	ITEM DESCRIPTION*	UNIT *		U	INIT COST*		TOTAL COST*
surface casing to an estimated depth of 30' \$ 95,00 \$ 2,850,00 \$ 1,600,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1,000,00 \$ 1	1	Mobilization	LS	1	\$	5,000.00	\$	5,000.00
Sesumed to be at a depth of 30 ft.] and install eight (8") diameter stocking with drive shoe into bedrock. Cosing length must be a minimum of 80 feet	2	· ·	FT	30	\$	95.00	\$	2,850.00
Portland Nead Cement, or other equivalent material in accordance with NJA.C. 7:90-2.9. \$ 20.00 \$ 1,600.00 \$ 23,400.00 \$ 23,400.00 \$ 23,400.00 \$ 23,400.00 \$ 23,400.00 \$ 23,400.00 \$ 23,400.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$ 20,000.00 \$	3	(assumed to be at a depth of 30 ft.) and install eight (8") diameter steel casing with drive shoe into bedrock. Casing length must be a	FT	80	\$	125.00	\$	10,000.00
Installation of one or more tanks/pits/silf bags to detain and settle drilling fluids, and supply all labor for managing soil, drilling fluids, and supply all labor for managing soil, drilling fluids, and all necessary soil and erosion control measures 7 Operation of equipment and supplies as necessary for the development of the production well via air lift technique 8 Perform eight (8)-hour step test. The well will be pumped at a minimum of four (4) different rates as selected by the Engineer for 100 minutes of each rate. The Contractor shall furnish all labor, material and equipment to support the test up to a maximum rate of 150 gpm. Perform 8-hour constant rate test. The Contractor shall furnish all labor, material and equipment to support the test up to a maximum rate of 150 gpm. Collection of water samples at the conclusion of the 72-hour test and analyzed for bacteriological and chemical quality in accordance with State driinking water regulations NJAC 7:10-5 and 7. 11 Permanent pump installation shall include setting of a 150 gpm submersible pump to an estimated depth of 300 feet. A Baker Standard Pittess Unit (NSF 61 Certified) installation shall be included. 12 Disinfection of well to NJDEP/Health Dpt. Regulations 13 diameter Well 3 and 8-inch diameter Well 5 according to NJA.C. 7:20-3.1 et seq 14 Janda Allandscaping and site restoration 15 All landscaping and site restoration 16 All landscaping and site restoration	4	Portland Neat Cement, or other equivalent material in accordance	FT	80	\$	20.00	\$	1,600.00
drilling fluids, and furnish and supply all labor for managing soil, drilling fluids, and all necessary soil and erosion control measures 7 development of equipment and supplies as necessary for the development of the production well via air lift technique Perform eight (8)-hour step test. The well will be pumped at a minimum of four (4) different rates as selected by the Engineer for 100 minutes at each rate. The Contractor shall furnish all labor, material and equipment to support the test up to a maximum rate of 150 gpm. Perform 8-hour constant rate test. The Contractor shall furnish all labor, material and equipment to support the test up to a maximum rate of 150 gpm. Collection of water samples at the conclusion of the 72-hour test and analyzed for bacteriological and chemical quality in accordance with State drinking water regulations NJAC 7:10-5 and 7. 11 Permanent pump installation shall include setting of a 150 gpm submersible pump to an estimated depth of 300 feet. A Baker Standard Pitless Unit (NSF 6) Certified) installation shall be included. 12 Disinfection of well to NJDEP/Health Dpt. Regulations LS 1 \$ 1,00.00 \$ 24,000.00 Furnish materials and labor to abandon/seal the existing 6-inch diameter Well 3 and 8-inch diameter Well 5 according to NJ.A.C. 7:20-3.1 et seq Furnish materials and labor to abandon/seal the existing 6-inch diameter Well 3 and 8-inch diameter Well 5 according for NJ.A.C. 5. 1	5	Complete 8" air-rotary drilling to an estimated depth of 600 ft.	LS	520	\$	45.00	\$	23,400.00
development of the production well via air lift technique S 575.00 \$ 2,300.00	6	drilling fluids, and furnish and supply all labor for managing soil,	LS	1	\$	2,000.00	\$	2,000.00
minimum of four (4) different rates as selected by the Engineer for 100 minutes at each rate. The Contractor shall furnish all labor, material and equipment to support the test up to a maximum rate of 150 gpm. Perform 8-hour constant rate test. The Contractor shall furnish all labor, material and equipment to support the test up to a maximum rate of 150 gpm. Collection of water samples at the conclusion of the 72-hour test and analyzed for bacteriological and chemical quality in accordance with State drinking water regulations NJAC 7:10-5 and 7. Permanent pump installation shall include setting of a 150 gpm submersible pump to an estimated depth of 300 feet. A Baker Standard Pitless Unit (NSF 61 Certified) installation shall be included. Disinfection of well to NJDEP/Health Dpt. Regulations LS 1 \$ 100.00 \$ 24,000.00 Turnish materials and labor to abandon/seal the existing 6-inch diameter Well 3 and 8-inch diameter Well 5 according to N.J.A.C. 7:20-3.1 et seq Furnish materials and labor to demolish well building and vault, abandon/seal all connections, remove materials, and fill vault excavation. Cap and cover and restore ground conditions. S 8,000.00 \$ 8,000.00 15 All landscaping and site restoration LS 1 \$ 2,000.00 \$ 2,000.00	7		HRS	4	\$	575.00	\$	2,300.00
9 labor, material and equipment to support the test up to a maximum rate of 150 gpm. Collection of water samples at the conclusion of the 72-hour test and analyzed for bacteriological and chemical quality in accordance with State drinking water regulations NJAC 7:10-5 and 7. 11 Permanent pump installation shall include setting of a 150 gpm submersible pump to an estimated depth of 300 feet. A Baker Standard Pitless Unit (NSF 61 Certified) installation shall be included. 12 Disinfection of well to NJDEP/Health Dpt. Regulations LS 1 \$ 100.00 \$ 100.00 Furnish materials and labor to abandon/seal the existing 6-inch diameter Well 3 and 8-inch diameter Well 5 according to N.J.A.C. 7:20-3.1 et seq Furnish materials and labor to demolish well building and vault, abandon/seal all connections, remove materials, and fill vault excavation. Cap and cover and restore ground conditions. S 8,000.00 \$ 8,000.00 15 All landscaping and site restoration LS 1 \$ 2,000.00 \$ 2,000.00	8	minimum of four (4) different rates as selected by the Engineer for 100 minutes at each rate. The Contractor shall furnish all labor, material and equipment to support the test up to a maximum rate	LS	1	\$	8,000.00	\$	8,000.00
and analyzed for bacteriological and chemical quality in accordance with State drinking wafer regulations NJAC 7:10-5 and 7. 11 Permanent pump installation shall include setting of a 150 gpm submersible pump to an estimated depth of 300 feet. A Baker Standard Pitless Unit (NSF 61 Certified) installation shall be included. 12 Disinfection of well to NJDEP/Health Dpt. Regulations 13 Disinfection of well to NJDEP/Health Dpt. Regulations 14 Furnish materials and labor to abandon/seal the existing 6-inch diameter Well 5 according to N.J.A.C. 7:20-3.1 et seq 15 All landscaping and site restoration 16 All landscaping and site restoration 17 Sermanent pump installations hall include setting of a 150 gpm submersible pump to an estimated depth of 300 feet. A Baker Standard Pitless Unit (NSF 61 Certified) installation shall be included. 18 1 Sermanent pump installation shall include setting of a 150 gpm submersible pump to an estimated depth of 300 feet. A Baker Standard Pitless Unit (NSF 61 Certified) installation shall be included. 19 24,000.00 \$ 24,000.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$	9	labor, material and equipment to support the test up to a maximum	LS	1	\$	1,800.00	\$	1,800.00
submersible pump to an estimated depth of 300 feet. A Baker Standard Pitless Unit (NSF 61 Certified) installation shall be included. 12 Disinfection of well to NJDEP/Health Dpt. Regulations Furnish materials and labor to abandon/seal the existing 6-inch diameter Well 3 and 8-inch diameter Well 5 according to N.J.A.C. 7:20-3.1 et seq Furnish materials and labor to demolish well building and vault, abandon/seal all connections, remove materials, and fill vault excavation. Cap and cover and restore ground conditions. Sample Submersible pump to an estimated depth of 300 feet. A Baker \$ \$ 24,000.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$ 100.00 \$	10	and analyzed for bacteriological and chemical quality in accordance with State drinking water regulations NJAC 7:10-5 and	LS	1	\$	4,800.00	\$	4,800.00
Disinfection of well to NJDEP/Health Dpt. Regulations LS 1 \$ 100.00 \$ 100.00 Furnish materials and labor to abandon/seal the existing 6-inch diameter Well 3 and 8-inch diameter Well 5 according to N.J.A.C. 7:20-3.1 et seq Furnish materials and labor to demolish well building and vault, abandon/seal all connections, remove materials, and fill vault excavation. Cap and cover and restore ground conditions. LS 1 \$ 100.00 \$ 100.00 \$ 16,000.00 LS 1 \$ 8,000.00 \$ 8,000.00 15 All landscaping and site restoration LS 1 \$ 2,000.00 \$ 2,000.00	11	submersible pump to an estimated depth of 300 feet. A Baker	LS	1	\$	24,000.00	\$	24,000.00
diameter Well 3 and 8-inch diameter Well 5 according to N.J.A.C. 7:20-3.1 et seq Furnish materials and labor to demolish well building and vault, abandon/seal all connections, remove materials, and fill vault excavation. Cap and cover and restore ground conditions. \$ 1,000.00 \$ 16,000.00 LS 1 \$ 8,000.00 \$ 8,000.00 15 All landscaping and site restoration LS 1 \$ 2,000.00 \$ 2,000.00	12	Disinfection of well to NJDEP/Health Dpt. Regulations	LS	1	_	•		·
abandon/seal all connections, remove materials, and fill vault excavation. Cap and cover and restore ground conditions. LS 1 \$ 8,000.00 \$ 8,000.00 15 All landscaping and site restoration LS 1 \$ 2,000.00 \$ 2,000.00	13	diameter Well 3 and 8-inch diameter Well 5 according to N.J.A.C.	LS	1	\$	16,000.00	\$	16,000.00
		abandon/seal all connections, remove materials, and fill vault excavation. Cap and cover and restore ground conditions.						
	15	All landscaping and site restoration TOTAL BID PRICE:	LS \$	1	\$	2,000.00	\$	2,000.00 111,850.00

BID RESULTS

AB2021-03 LEASE FOR FARMING COUNTY-OWNED PROPERTY KNOWN AS "PRL", BLOCK 19, LOT 24.02, LOCATED ON RABBIT HILL ROAD AND COUNTY ROUTE 571 IN WEST WINDSOR TOWNSHIP

BID OPENING DATE: FEBRUARY 9,2021							
	SUMBITTED BID RESPONSE ELECTRONICALLY AND MAILED						
NO OF PURPERS	IN						
NO. OF BIDDERS:	2	EMED OVCUME FARMS					
NAME OF BIDDER:	INTEGRITY AG,LLC	ENERGYSUN FARMS					
ADDRESS	222 CHAMBERLIN AVENUE	2 JUSTICE CT.					
CITY, STATE, ZIP	HIGHTSTOWN, NJ 08520	PRINCETON, NJ 08540					
CONTACT	RODGER JANY/JOSEPH DESANDRE JR	HELMI SAUD					
TELEPHONE	609-712-3600	609-902-6056					
FAX		732-940-0654					
E-MAIL	RJANY@SIMSONFARMS.COM	HELMIAS@ENERGYSUN.ORG					
nj savi designation	N/A	N/A					
INSURANCE AND INDEMNIFICATION	SIGNED AND DATED	SIGNED AND DATED					
NEW JERSEY BUSINESS REGISTRATION	OK	REQUIRED IF AWARDED					
STATEMENT OF OWNERSHIP	SIGNED AND DATED	SIGNED AND DATED					
IRAN CERTIFICATION	SIGNED AND DATED	SIGNED AND DATED					
EXHIBIT A	REQUIRED IF AWARDED	INCLUDED					
EIC	REQUIRED IF AWARDED	REQUIRED IF AWARDED					
EXECUTIVE ORDER 98-1	SIGNED AND DATED	SIGNED AND DATED					
HOLD PRICING BEYOND 60 DAYS	YES	YES					
CONTINUITY OF SERVICE	YES	YES					
REFERENCES/PROOF OF FARMING EXPERIENCE	INCLUDED,PLANNING TO REVIEW	INCLUDED, PLANNING TO REVIEW					
MINIMUM BID PER ACRE	\$ 30.00	\$ 35.00					
TOTAL ANNUAL RENT	\$ 300.00	\$ 350.00					
EXCEPTIONS	NONE	NONE					
FATAL FLAW	NO	NO					